



Parle Global Technologies

EVOLVE . INNOVATE . TRANSFORM

LIQUID



GRANULATION



TABLETING



SEMI SOLID



**ONE ROOF SOLUTION
FOR
HEALTHCARE**

ENCAPSULATION



CARTONING



PRINTING



BULK PACKING



www.parleglobal.com



GLOBAL INNOVATIONS - MADE IN INDIA



TAKING INDIA TO THE WORLD



OUR BRANDS

TABLETING



ELITE PRESS

ECO PRESS

HiTON

WiP

◆ ELITE TOOL

◆ ECO TOOL

◆ P-STEP

◆ P-MATRIX

◆ TOOL CARE

◆ PRESS PARTS

◆ PASSURE

◆ ELITE PACK

CAPSULE FILLING



PF

COUNTING AND FILLING LINE



CARTONING

PACKART

TUBE FILLING AND SEALING

TUBEFiLL

TABLET PRINTING

TAMPRINT

IMPRINT

LIQUID FILLING LINE

LIQViFiLL

SERVICES



TABLE OF CONTENTS

- ◆ TABLETING
- ◆ ENCAPSULATION
- ◆ PACKAGING
- ◆ TUBE FILLING
- ◆ LIQUID



Chairman

Mr. Rajmal L. Mehta



C.E.O

Mr. Mahendra R. Mehta

PARLE TABLETING TECHNOLOGIES: A NEW IDENTITY FOR A PROVEN LEGACY

Parle Global Technologies Pvt. Ltd. has acquired full ownership of Parle Elizabeth Tools Pvt. Ltd., its joint venture with the Elizabeth Group of Companies.

Consequently, the entity will operate as **Parle Tableting Technologies Pvt. Ltd.**, a dedicated division focussed exclusively on compression machinery and tooling.

With this transformation, **Parle Tableting Technologies** becomes the only company globally specializing in both tooling and compression machines — a rare and powerful combination that enables unmatched integration, precision and performance.

A Make in India Success Story

These strategic moves are a testament to the strength of Indian innovation and manufacturing. As a proud Make-in-India company, Parle Global Technologies continues to design, engineer and manufacture world-class pharmaceutical machinery in India—serving global markets with excellence, reliability and pride.

Parle continues to bring global technologies to India through enduring partnerships with HATA and FREUND from Japan, CUBEGEL and LEEPACK from South Korea, and SEPHA from the United Kingdom — delivering advanced solutions tailored to the needs of Indian manufacturers.

Parle Global Technologies Pvt. Ltd. has been serving the Pharmaceutical, Food & Beverages & Cosmetic industries for **50+ Years** offering customized solutions.

OUR PORTFOLIO



Granulation | Tablet Compression | Tooling (Punches & Dies) | Tool Care | Press Parts Press Rebuilds | Blister Change Parts | Capsule Filling | Capsule Check Weigher Printing – Tablet & Capsules | Inspection Systems | Counting & Filling Line | Wet Granulation Tube Filling & Sealing | Pouch, Container & Jar Filling | Capping | Cartoning | Liquid Line

MILESTONES

1974

Foundation of Parle Group as
PARLE INDUSTRIAL PRODUCTS

1983

Formation of PARLE
TABLET TOOLS, a Private
Limited Company

1987

Started EXPORTS of Quality
Tablet Tooling to the global
market

1997

Parle partners with GLOBAL
technologies to introduce them to
Indian Pharma Industry

2010

Initiated TABLET PRESS
manufacturing at Ahmedabad
under Parle Elizabeth Tools

2009

Inauguration of new PACKAGING
MACHINERY manufacturing facility at
Vasai, Maharashtra

2008

JV with Elizabeth Carbide Co. Inc., USA
to form PARLE ELIZABETH TOOLS PVT.
LTD.

2007

Inauguration of ASIA's LARGEST
TOOLING manufacturing facility at
Vasai, Maharashtra

2013

JV with Kovai Machineries to
form PARLE KOVAI MACHINERY
PVT. LTD.

2014

JV with Leepack Co. Ltd., Korea to form
PARLE LEEPACK MACHINERY PVT. LTD.
Inauguration of new manufacturing facility
for TOOLING & PRESS PARTS at Sanand,
Ahmedabad

2016

Inauguration of the State-of-the-
Art TABLET PRESS manufacturing
facility at Sanand, Ahmedabad

2017

Inauguration of the PACKAGING
MACHINERY manufacturing facility
at Sanand, Ahmedabad. Initiated
manufacturing of HATA CVX-LD-U
under licence from Hata, Japan

2022

Launch of GX-20/P by Parle
Freund and HATA GS-SS
under licence from Hata,
Japan

2021

Initiated manufacturing of
HATA CVX-LS-U Tri-Layer
Tablet Press

2020

Initiated ROLLER
COMPACTOR Manufacturing
at Vasai, Maharashtra under
Parle Freund Machinery

2018

JV with Freund Corporation, Japan to
form PARLE FREUND MACHINERY
PVT. LTD.

2023

1000+ Tablet Press machines sold worldwide, 50+
HATA Press machines sold and **XTM 200** capsule filler
launched, 100+ Machines Of Leepack sold in India

2024

JV with PRISMTECH PACKAGING
SOLUTIONS PVT. LTD.

2025

Launch of new corporate
identity of Tableting Division as
PARLE TABLETING TECHNOLOGIES PVT. LTD.

KEY HIGHLIGHTS

50⁺
YEARS
SERVING HEALTHCARE

7
MANUFACTURING
FACILITIES IN INDIA

1500⁺
EMPLOYEE
STRENGTH

10
REGIONAL CONNECTS
IN INDIA

90⁺
COUNTRIES
SERVING WORLDWIDE

MANUFACTURING FACILITIES



VASAI (MAHARASHTRA)



VASAI (MAHARASHTRA)



KAMAN (MAHARASHTRA)



SANAND (GUJARAT)



NAVI MUMBAI (MAHARASHTRA)



SANAND (GUJARAT)



SANAND (GUJARAT)

TABLET PRESS: State-of-the-art manufacturing facility offering the following Tablet Press brands.

HATA

High production Tablet Press with Interchangeable Turret and Tri-layer Tablet Press.

ELITE PRESS

Range from R&D, Pilot & Production scale presses. Available variants include Standard and Automatic Weight Control (AWC) models

Eco Press

Range from R&D, Pilot & Production scale presses. Available variants include Standard and Automatic Force Rejection (AFR) models

WiP

Our new wash-in-place containment presses

HiTON

Our range of tablet presses designed for high-tonnage applications, available in both standard and Automatic Weight Control (AWC) models.

TABLET TOOLING: We are the first Tooling company in Asia to be ISO 9001: 2008 certified from TÜV SÜD, South Asia. offers the following Tooling & Tool Care & Allied products.

ELITE TOOL

Premium tooling material like **AISI S7, D2 & SUS 440C** for Punches and **AISI D3, SUS 440C** for Dies are manufactured. Coatings like **Chromium Nitride** and **Multi Layer Chromium Nitride** can be offered on these steels for Punches.

P-MATRIX

Outputs are sometimes main concern on customers. We cater to customer needs through product nature and size based solutions using **MULTI TIP Tooling** in fixed design, replaceable tip design and other workable solutions.

PASSURE

This division provides complete engineering services in **Automation, Retrofitting of Table Presses And Special Upgradation Projects** for any existing processing & packaging equipment.

ECO TOOL

Standard tooling made from **AISI 01** material for punches and **AISI D3** material dies, with **Hand Chrome Plating** is offered.

CUSTOMISED TOOLING

We design and manufacture special Tooling like **Rota Head, Polo type, Bolus** and other customized tooling.

PRESS PARTS

This division provides **OEM level Tablet Press Parts** for all major Tablet compression machines available in Indian and Global market.

P-STEP

Super Premium Steels like **PMAT 122, PMAT 32, PMAT 80, PMAT 51 & PMAT 170** based on the understanding of customer needs and providing issue based solution for individual products.

TOOL CARE

The complete range of **Tool Maintenance Equipment** for **Checking, Maintaining, Polishing, Cleaning, Handling & Storing** of tools to maintain the health & increase the efficiency.

ELITE PACK

Blister Change Parts are offered for all the major Blister Packing machines. Customized solutions are provided for product feeding and handling.

TABLET COMPRESSION

ELITE PRESS



EP 700 AWC

**DOUBLE ROTARY
HIGH PRODUCTION
COMPACT FOOTPRINT**

- ◆ Compact Footprint
- ◆ Motorized Penetration Control
- ◆ 21 CFR Part 11 Compliant

No. of Stations & Tooling	51 D	61 B	75 BB
Output /hr (Single Layer)	459,000	549,000	675,000
Output /hr (Bi-Layer)	153,000	183,000	275,000
Pre Compression Force	10 Ton/100 kN		
Main Compression Force	10 Ton/100 kN		

Available Variant

EP 700 S AWC

EP 500 AWC

**MONO LAYER & EFFERVESCENT
HIGH PRODUCTION**

- ◆ Good, Sample & Reject Tablet Production
- ◆ High Torque Reduction Gear Box
- ◆ Online Magnesium Spray & Liquid Paraffin Spray(Optional)
- ◆ 21 CFR Part 11 Compliant

No. of Stations & Tooling	32 D	38 B	45 BB
Output /hr (Single Layer)	134,400	159,400	189,000
Tablet Diameter (Single Tip)	5 to 24	5 to 16	5 to 13
Pre Compression Force	10 Ton/100 kN		
Main Compression Force	10 Ton/100 kN		

Available Variant

EP 500



EP 400 AWC

**DOUBLE ROTARY
MEDIUM PRODUCTION**

- ◆ Auto Sampling During Bi-layer
- ◆ Precise Punch Tracking with Encoder
- ◆ Tool Safe Overload Safety
- ◆ 21 CFR Part 11 Compliant

No. of Stations & Tooling	29 D	37 B	45 BB
Output /hr (Single Layer)	174,000	222,000	270,000
Output /hr (Bi-Layer)	52,200	66,600	81,000
Pre Compression Force	3 Ton/30 kN		
Main Compression Force	10 Ton/100 kN 6.5 Ton/65 kN		

Available Variant

EP 400 AFR , EP 400

* Actual tablet output and maximum application of compression force will depend upon the materials being compressed, the size and shape of punches respectively.

TABLET COMPRESSION

ELITE PRESS



EP 200 AWC R&D | PILOT SINGLE LAYER

- ◆ Tool-Less Hopper Fitment
- ◆ Turret with Lower Seal Keyway
- ◆ Heavy Duty & Sturdy Construction
- ◆ 21 CFR Part 11 Compliant

No. of Stations & Tooling	8 D	10 B	12 BB	5D + 5B
Output /hr (Single Layer)	14,400	18,000	21,600	9,000
Pre Compression Force	5 Ton / 50 kN			
Main Compression Force	5 Ton / 50 kN			

Available Variant **EP 200 FORCE**
EP 200

EP 200 L AWC R&D | PILOT BI-LAYER

- ◆ Single Paddle Force Feeder
- ◆ Direct Drive to the Turret
- ◆ Double Walled Cams Design
- ◆ 21 CFR Part 11 Compliant

No. of Stations & Toolin	9 D	11 B	13 BB	5 D + 5 B
Output /hr (Single Layer)	16,200	19,200	23,400	9,000
Pre Compression Force	3 Ton / 30 kN			
Main Compression Force	5 Ton / 50 kN			

Available Variant **EP 200 L AWC MUPS**
EP 200 L FORCE
EP 200 L



WiP

WiP200 R&D | SELF CONTAINMENT

- ◆ OEB 5 Compliant
- ◆ Wash-In-Place Capability
- ◆ Tool-Less Hopper Fitment
- ◆ Turret with Lower Seal Keyway
- ◆ Heavy Duty & Sturdy Construction

No. of Stations & Tooling	8 D	10 B	12 BB	5 D + 5 B
Output /hr (Single Layer)	24,000	30,000	36,000	15,000
Pre Compression Force	5 Ton / 50 kN			
Main Compression Force	5 Ton / 50 kN			



* Actual tablet output and maximum application of compression force will depend upon the materials being compressed, the size and shape of punches respectively.



ECO VII ML

TRI-LAYER
HIGH PRODUCTION

- ◆ Equal Size Force Feeder
- ◆ Automatic Lubrication System
- ◆ Tablet Parameter Control
- ◆ Report Function Enabled

No. of Stations & Tooling	49 D	61 B
Output /hr (Single Layer)	176,400	219,600
Output /hr (Bi-Layer)	117,600	146,400
Output /hr (Tri-Layer)	88,200	109,800
Main Compression Force	1 st Layer	2 Ton / 20 kN
	2 nd Layer	2 Ton / 20 kN
	Final Layer	6 Ton / 60 kN



ECO VII AFR

DOUBLE ROTARY
HIGH PRODUCTION

- ◆ Tablet Parameter Control Copy from Side 1 to Side 2
- ◆ Turret with Lower Punch Seal
- ◆ Double Paddle Force Feeder
- ◆ Report Function Enabled

No. of Stations & Tooling	51 D	61 B	75 BB
Output /hr (Single Layer)	367,200	439,000	540,000
Output /hr (Bi-Layer)	91,800	109,800	135,000
Pre Compression Force	3 Ton/ 30kN		
Main Compression Force	10 Ton/ 100kN		

Available Variant **ECO VII**





ECO V_{AFR}

DOUBLE ROTARY
MEDIUM PRODUCTION

- ◆ Turret with Lower Punch Seal
- ◆ Double Paddle Force Feeder
- ◆ Variable Upper Punch Penetration
- ◆ Report Function Enabled

No. of Stations & Tooling	37 D	45 B	55 B
Output /hr (Single Layer)	266,400	324,000	396,000
Output /hr (Bi-Layer)	66,600	81,000	99,000
Main Compression Force	10 Ton/100 kN	6 Ton/60 kN	



Available Variant : **ECO V**

ECO IV_{AFR}

DOUBLE ROTARY
MEDIUM PRODUCTION

- ◆ Tablet Parameter Control from Left and Right Side
- ◆ Turret with Lower Punch Seal
- ◆ Double Paddle Force Feeder
- ◆ Report Function Enabled

No. of Stations & Tooling	27 D	35 B	45 BB
Output /hr (Single Layer)	155,520	201,600	259,200
Output /hr (Bi-Layer)	48,600	63,000	81,000
Main Compression Force	10 Ton / 100 kN	6 Ton / 60 kN	

Available Variant **ECO IV**





ECO III^{AFR}

SINGLE ROTARY
SMALL PRODUCTION

- ◆ Hard Anodized Gravity Feeder
- ◆ Variable Upper Punch Penetration
- ◆ Robust External Worm & Worm Gear System
- ◆ Report Function Enabled

No. of Stations & Tooling	20 D	27 B
Output /hr (Single Layer)	60,000	81,000
Main Compression Force	10 Ton / 100kN	6 Ton / 60kN

Available Variant **ECO III**



ECO II

SINGLE ROTARY
R&D/PILOT

- ◆ Semi-Direct drive to the Turret through high torque reduction gear box
- ◆ Lockable Control Knobs for Main Compression & Fill Depth control

No. of Stations & Tooling	8 D	10 B	5 D + 5 B
Output /hr (Single Layer)	14,400	18,000	9,000
Pre Compression Force	2 Ton / 20 kN		
Main Compression Force	6 Ton / 60 kN		



* Actual tablet output and maximum application of compression force will depend upon the materials being compressed, the size and shape of punches respectively.

TABLET COMPRESSION

HiTON



HiTON 700 AWC

**HIGH TONNAGE
DOUBLE ROTARY**

- ◆ High Tonnage Compression Rolls
- ◆ Pull Down Cam for Reduced Dust Generation
- ◆ Force Feeder with Independent ACVF Drive
- ◆ 21 CFR Part 11 Compliant

No. of Stations & Tooling	51 D	61 B	75 BB
Output /hr (Single Layer)	459,000	549,000	675,000
Output /hr (Bi-Layer)	153,000	183,000	275,000
Pre Compression Force	10 Ton / 100 kN		
Main Compression Force	15 Ton / 150 kN		

HiTON VII

**DOUBLE ROTARY
HIGH PRODUCTION**

- ◆ Suitable for high tonnage applications like Slugging, Salt, Detergent, Veterinary, Food Supplements & Battery industries
- ◆ Heavy duty machine housing to withstand heavy compression
- ◆ Special anti corrosive Die Plate option available
- ◆ Double Rotary press for increased output

No. of Stations & Tooling	29 / Special Slugger Tooling
Output (Max)** / Tablet Per Hour	139,200
Main Compression Force	12 Tons / 120 kN



HiTON III AFR

**SINGLE ROTARY
SLUGGING / VETERINARY**

- ◆ Turret for Corrosion Resistance
- ◆ Hard Anodized Gravity Feeder
- ◆ Robust External Worm & Worm Gear System
- ◆ Report Function Enabled

No. of Stations & Tooling	12 Station Special Tooling
Output / Hr	18,000
Main Compression Force	12 Tons / 120 kN

Available Variant: **HiTON III**

* Actual tablet output and maximum application of compression force will depend upon the materials being compressed, the size and shape of punches respectively.



Metal Detector

- Sensitivity
- Ferrous: $\varnothing$ 0.3mm
 - Non Ferrous: $\varnothing$ 0.4 mm
 - Stainless Steel: $\varnothing$ 0.5 mm



De-Duster

Tablet Diameter	Min. $\varnothing$ 4 mm, Max. $\varnothing$ 25 mm
-----------------	---



De-Duster & Metal Detector Combo

Output	5,000 to 2,00,000 Tablets/hr
Tablet Diameter	Min. $\varnothing$ 4 mm, Max. $\varnothing$ 25 mm



Dust Collector

Operating Vacuum	50 - 220 - 360 mbar
------------------	---------------------



Powder Transfer System

Capacity	150 to 500 kg
----------	---------------

TABLET TOOLING

Designed to ImPress . Built to ComPress

1st tooling company in Asia to receive ISO 9001:2008 certification from TÜV SÜD. One of Asia's most advanced manufacturing units.

ELITE TOOL

COATINGS

- ◆ Enhances hardness and wear resistance, reduces friction and punch seizure, boosts corrosion resistance, and adds anti-adhesive properties.



DUST CUP & BELLOWS

- ◆ Prevents dust buildup, stops punch tightening, and protects the product from contamination.



ECO TOOL

STANDARD TOOLING

- ◆ We produce durable punches and dies for high-speed machines, covering EU, TSM, ZP, and custom tooling, tailored for superior performance.



SHAPE TOOLING

- ◆ We offer unique tablet shapes like Cat, Fish, Bullets, Christmas Tree, and Teddy Bear for distinct product designs.



CUSTOMIZED ISSUE BASED SOLUTIONS

P-STEP

Introducing P-STEP:

Parle's solution for product , tooling ,and output issues in Tablet compression


P-STEP Offers:

- ◆ Issue-based product solutions
- ◆ Anti-counterfeiting solutions
- ◆ Tooling performance enhancements



Issue-Based Solutions

- ◆ Our expert team ensures the right material, design, and precision for improved tooling and tablet performance. State-of-the-art CNC machines guarantee quality and precision for every dispatch.



Anti-Counterfeiting Solution

- ◆ Our design experts create unique tablet designs, including custom shapes, logos, and break lines, to protect high-value products.



MULTI-TIP TOOLING

P-MATRIX

Introducing the P Matrix series for high-volume, time-sensitive production, offering:

- ◆ Advanced multi-tip designs (replaceable/solid)
- ◆ Custom tooling solutions
- ◆ Reliable quality and fast delivery

P Matrix allows the production of multiple tablets per station, boosting output, reducing costs, and shortening production times. With precision manufacturing, it ensures component accuracy and easy interchangeability.



5P Benefits:



Perfection:

Accuracy in weight, hardness, and installation



Productivity:

Cost-effective for high-volume products with quick ROI



Price:

Improved machine and plant efficiency



Performance:

Energy savings with increased output



Power:

Higher output with reduced rejections

ROTAHEAD

Rotating head tooling for non-round shapes, extending tool life and reducing wear by enabling head replacement without discarding the punch



CUSTOMIZE

Tailor-made tooling for single station, Bholus, and larger veterinary tablets to meet specific requirements.



7 GUARDS FOR TOOLING



1 CLEAN

Ultrasonic cleaning system removes contamination, followed by hot air drying and rust preventive oiling for protection



2 INSPECT

Customized tool storage systems for optimal space utilization, available in vertical or horizontal designs, with options for manual or motorized movement.

LIS

AIS



3 REPAIR

Punch polishing kit for minor maintenance of critical areas such as embossing and punch tips to prolong tool life.



4 MEASURE

Digital inspection kit checks critical parameters like tip size, barrel diameter, and more, meeting global standards (EURO & TSM).



5 POLISH

Automatic tool polish machine improves tool quality, reduces friction, and prevents corrosion for better tablet finish.



TP-I



TP-II



TP-ECO



TP-MINI



6 OIL

Apply food-grade, non-toxic rust preventive oil to extend tool life and resist corrosion



7 STORE

Customized tool storage systems for optimal space utilization, available in vertical or horizontal designs, with options for manual or motorized movement.

Press Rebuild : Complete Engineering Services

Introducing "P-Assure" – engineering solutions for automation, retrofitting, and machine overhauling.

"P-Assure" – Making Ideas Happen

- Our expert team collaborates with yours to understand needs and develop solutions.

"P-Assure" – Press Part Assurance

- Material selection ensures improved component life. Backed by CNC manufacturing and a robust Quality Management System, all parts are certified by our Quality Assurance team.

"P-Assure" – Universal AWC Software


- GMP/Non-GMP compliant software designed to meet GAMP-5 and US FDA guidelines, with real-time audit trails and secure user authentication.

SCOPE OF STUDY

- Machine lifecycle evaluation
- Component and automation redesign for enhanced performance
- User-friendly design logic and safety improvements

PROJECT DOCUMENTATION

Includes DQ, IQ, OQ, FAT, risk assessments, manuals, and software/hardware specifications.



AUTOMATION



NETWORKING/RETROFITS



TAB CONTROL



CAPCHECK CONTROL



FBD CONTROL



MIX/OTHER CONTROL



IOT




CONSULTING



TABLET PRESS PARTS

PRESS PARTS

- High-precision press parts crafted on advanced machinery, overseen by compression experts. Enhanced durability through specialized material selection and treatment.
- Complimentary installation service available.
- Over 80 spare parts in stock.
- Compatible with all press types and models.



Powder Sensor

Load Cell
Calibration Kit

Ball Plunger

Load Cell & Load
Cell Tightness

Inclosed Type
Encoder

Linear Scale
Modern / Classic

Door Closer
Gas Spring

Die Locking
Screw B/D

BLISTER CHANGE PARTS

ELITE PACK

Forming Components



Feeding Components



Sealing Station & Stealing Roller



Embossing , Perforating & Punching Station



- Packaging defines a product's brand identity. Along with tablet shaping, Parle offers blister change parts to complete the process seamlessly.
- Our design and development team is fully equipped to bring your ideas to life, ensuring smooth and reliable packaging. We manufacture change parts compatible with both Indian and imported blister packing machines, from entry-level to high-end models.

Blister Change Parts Design and Manufacturing Expertise for:

- Thermo-forming blisters (PVC/ALU)
- Cold-forming blisters (ALU/ALU)
- Change parts for both flat and rotary blister packaging machines
- Comprehensive technical support

Blister Change Parts Designing and Manufacturing Expertise for:



CAPSULE FILLING



PF 200

HIGHER PRODUCTION
GREATER FLEXIBILITY

- ◆ Exchangeable Filling Station
- ◆ Interactive user interface

Output	200,000 /hr (for Powder)
	170,000 /hr (for Pellet)
Capsule Size	000 to 5

Available Models **PF 150**



PF 90

EXECUTE LARGE BATCHES WITH
LESSER CHANGE-OVER TIME

- ◆ High filling accuracy better yield due to high filling accuracy and less powder wastage

Output	90,000 /hr (for Powder)
	80,000 /hr (for Pellet)
	50,000 /hr (for Tablet)
Capsule Size	000 to 5

Available Models **PF 40 & PF 25**



PF 25 ISO

CAPSULE FILLER WITH
ISOLATOR

- ◆ Certified for highly potent and cytotoxic formulations requiring OEB 5 level protection

Output	Up to 25,000 /hr (for Powder)
Capsule Size	00 to 5

Available Models **PF 40 ISO | PF R&D ISO**



XTR 200

EXCEPTIONAL PRODUCTIVITY
WITH XTRA SAVINGS

- ◆ Advance High efficiency with Cost Optimization
- ◆ Unique Dosing Disc Design for difficult Formulation

Output	200,000 / Capsules hr (for Powder)
	170,000 /hr (for Pellet)
	70,000 /hr (for Tablet)
Capsule Size	000 to 5

Available Models **XTR 90 | XTR 40 | XTR 25**

CAPSULE FILLING



SAF SL

SEMI-AUTOMATIC DOUBLE LOADER

- Complying to cGMP standards
- Special hopper design is easy for dismantling and cleaning

Output	Up to 30,000 to 40,000 /hr
Capsule Size	000 to 5

Available Models **SAF DL**



PF R&D

R&D ENCAPSULATION

- Capable of filling powder, tablets, micro-tablets, pellets and liquid under any conditions
- Inbuilt venturi pump for capsule separation

Output	Up to 3,000 /hr (for Powder)	Up to 1,320 /hr (for Tablet)
	Up to 2,400 /hr (for Pellet)	Up to 1,000 /hr (for Liquid)
		Capsule Size 000 to 5



X PROSEAL 70

CAPSULE BAND SEALING

- High efficiency band sealing with drying at ambient temperature

Output	70,000 Capsules /hr
Capsule Size	000 to 5

Available Models **BS 40 | BS 20 | BS R&D**

SOFTGEL ENCAPSULATION



PC-T150

STANDARD SOFTGEL ENCAPSULATION

Animal Capsule

Output:	103,440 cap/hr
Speed:	4.5 RPM
Cavities:	384



CL 90
Automatic Capsule Loader -
Vertical / Horizontal



DPM 100/200
Capsule Polisher



FCS/MCS 100
Filled Capsule Sorter/ Mini Capsule Sorter



ES 100
Empty Sorter



ADU 100
Dust Collector



MD
Metal Detector



ECSE 100/200
Empty Capsule Sorter Elevator



PTS 200
Product Transfer System

CAPSULE CHECK WEIGHER



CW 120M

CAPSULE CHECK WEIGHER

- ◆ Safety guards with hardened polycarbonate doors and interlocks
- ◆ Capsules with weight variations beyond set tolerance range are rejected

Output	120,000 /hr
Hopper Capacity	35 ltr

Available Models **CW 200 , CW 60M**

INSPECTION

TI 15R

TABLET / CAPSULE INSPECTION ROLLER

- ◆ Roller motor speed and Conveyor motor speed are adjustable.
- ◆ Foot paddle to stop the Roller and Conveyor motor.

Belt	Green Silicon Rollers
Conveyor	1.5 to 3.5 m/min (variable speed)



TI 15

TABLET INSPECTION BELT

- ◆ Both conveyor speed and tablet feed are adjustable
- ◆ Vacuum pickup to remove defective products

Belt	Green PVC Endless Belt
Conveyor	1.5 to 3.5 m/min (variable speed)



Available Models **TI 15C**



* Actual output will depend upon the materials characteristics and operating conditions.

PACKAGING DIVISION

offers the following equipment:



COUNTING & FILLING LINE



Complete Counting & Filling Line comprising of :

- ◆ Unscrambler with Airjet Cleaner
- ◆ Counter
- ◆ Inspection Module
- ◆ Desiccant Inserter
- ◆ Cotton/Rayon Inserter
- ◆ Capping
- ◆ Induction Sealing
- ◆ Labeling
- ◆ Outserter

Output capacity from 30 to 200 BPM

CARTONING



- ◆ Automatic Horizontal Cartoning machine for Bottles, Blisters, Tubes etc.
- ◆ Semi Automatic Vertical Cartoning machine.

PRINTING

TAMPRINT

- ◆ Tablet Printing using Pad Printing Technology
- ◆ Models available for R&D, Pilot & Production scale

IMPRINT

- ◆ Tablet, Capsule & Softgel Printing
- ◆ Models available for R&D, Pilot & Production scale

COUNTING & FILLING LINE

TABLET | CAPSULE | SOFTGEL

100% ACCURACY



Pacline
POSSIBILITIES • UNLIMITED



UNSCRAMBLER



MULTI CHANNEL
COUNTER



DESICCANT
INSERTER



ENTRY
TURN TABLE



AIRJET
CLEANER



MULTI CHANNEL
COUNTER



DESICCANT
INSERTER



COTTON
INSERTER



* Actual output will depend upon the material characteristics and operating conditions.

Output Capacity: 30 to 200 BPM



**COTTON
INSERTER**

CAPPING

**INDUCTION
SEALING**

LABELLING



CAPPING

**INDUCTION
SEALING**

RE-TORQUER

LABELING

OUTSARTER

**EXIT
TURN TABLE**

* Actual output will depend upon the material characteristics and operating conditions.

MONOBLOCK MB 30


Compact Counting & Filling



Applications :

Exhibit Batches (with Flexibility to Attached and Detach Machine)

Once & Harmore batches (with Low air Handling Volumes)



* Actual output will depend upon the material characteristics and operating conditions.

UNSCRAMBLER & AIRJET CLEANING

US 200

UNSCRAMBLER & AIRJET CLEANING

- ◆ PLC controlled system with touch screen HMI
- ◆ Suitable for HDPE containers (Round and Shape)

Output	120 to 180 BPM (40 - 100 cc bottle) * speed available for 200 BPM
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm



AJ 60R

ROTARY AIRJET CLEANER

- ◆ Servo controlled container transfer system
- ◆ Touch screen HMI with three level password security

Output	60 BPM
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Available Models **AJ 120R**



AJ 60

VERTICAL AIRJET CLEANER

- ◆ Inbuilt Ionizer and vacuum generation unit
- ◆ Touch screen HMI with three level password security

Output	60 BPM
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Available Models **AJ 120**



* Actual output will depend upon the materials characteristics and operating conditions.



HIGH SPEED MULTI CHANNEL COUNTER

- ◆ High speed non-stop counting system with memory flaps
- ◆ Handles Coated & Uncoated Tablets, Hard Gelatin & Soft Gelatin Capsules

Output	200 BPM
Channels	36 (18+18)
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Option | INSPECTION MODULE **IM 36**

MULTICHANNEL COUNTER

Output	120 BPM
Channels	24 (12+12)
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Option | INSPECTION MODULE IM 24



MULTICHANNEL COUNTER

- ◆ Inbuilt Ionizer and vacuum generation unit
- ◆ Touch screen HMI with three level password security

Output	60 BPM
Channels	18 (6+6+6)
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Option | INSPECTION MODULE **IM 18**



MC 60

MULTICHANNEL
COUNTER

Output	60 BPM
Channels	12 (6+6)
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Option | INSPECTION MODULE **IM 12**



MC 30 SL

SLEEK MULTICHANNEL
COUNTER

- ♦ Easy and toolless changeover from product to product
- ♦ Patented two level vibration mode for compactness
- ♦ Auto calibrating sensors for 100% count accuracy

Output	30 BPM
Channels	6
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm



MC 30

MULTICHANNEL
COUNTER

Output	30 BPM
Channels	6
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Option | INSPECTION MODULE **IM 6**

Available Models **MC 20 | MC 10 | MC 5**



EC 20A

AIRLESS ELECTRONIC
COUNTER

- ♦ Tablet Top Semi Automatic Rotary counter
- ♦ PLC Control

Output	20 BPM
Bottle Diameter	30 to 110 mm
Bottle Height	60 to 200 mm

* Actual output will depend upon the materials characteristics and operating conditions.



IM 12

INSPECTION MODULE

- ◆ Automatic detection and rejection of defective tablets/capsules
- ◆ Detection and rejection of foreign object (with different physical parameters like color & shape)

Channels	12
Hopper Capacity	27 L

Available Models **IM 36 | IM 24 | IM 18 | IM 6**

VERIFICATION

CV 10

COUNT VERIFICATION

- ◆ Easy to operate with quick change over from product to product
- ◆ Compact module for table top count verification for IPQC

Hopper Capacity	1 ltr (2 to 5 ltr Optional)
-----------------	-----------------------------

Available Models **CV 5**



DESICCANT INSERTER



SP 200

SILICA POUCH INSERTER

- ◆ Compact Design
- ◆ Easy Changeover & Maintenance

Output	150 to 200 BPM
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Available Models **SP 120 | 60**

SC 60

SILICA CANISTER INSERTER

- ◆ Pneumatic controlled bottle positioning system
- ◆ Multiple canisters dispensing as per requirement
- ◆ No container, no canister interlocks

Output	50 to 60 BPM
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

Available Models **SC 120**



SPC 120

SILICA POUCH & CANISTER INSERTER COMBO

- ◆ Double head machine, can handle Silica Pouch and Canister

Output	100 to 120 BPM
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

* Actual output will depend upon the materials characteristics and operating conditions.

COTTON/RAYON INSERTER



CO 90

COTTON/RAYON INSERTER

- ◆ Indexing is controlled by servo system
- ◆ Single or Multiple insertions possible

Output	60 to 90 BPM
Bottle Mouth Diameter	Min. 28 mm
	Max. 65 mm

Available Models **CO 60 | CO 200 DOUBLE HEAD**

CP 200

8 HEAD CAPPING

- ◆ Servo control torque feedback for capping tool while handling Screw, CRS caps
- ◆ Option : Elevating type cap loader

Output	180 to 200 BPM
Cap Types	CRC Screw Press-On
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm
Cap Outer Diameter	30 to 50 mm
Cap Height	10 to 18 mm

Available Models **CP 100 | CP 100S**

CAPPING



CP 60C

PRESS/SCREW CAP COMBO CAPPING

- ◆ Cap feeder arrangement for smooth flow on conveyor till pre tightening station
- ◆ Pre tightening tool arrangements for cap placement over containers

Output	60 BPM
Cap Type	CRC Screw Press-On
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm
Cap Outer Diameter	30 to 50 mm
Cap Height	10 to 18 mm

* Actual output will depend upon the materials characteristics and operating conditions.



CP 60P

PRESS-ON CAPPING

- ◆ Servo control torque feedback for capping tool while handling Screw/CRS caps
- ◆ Cap feeder arrangement for smooth flow on conveyor

Output	60 BPM
Cap Type	Press-On
Bottle Diameter	25 to 85 mm
Cap Outer Diameter	30 to 50 mm
Bottle Height	50 to 175 mm
Cap Height	10 to 18 mm

PC 60M

PRE-THREADED METAL CAPS CAPPING

- ◆ Suitable for HDPE/Glass Bottles with screw threading
- ◆ Servo control torque feedback for capping tool for pre threaded metal screw caps

Output	60 BPM
Cap Types	Pre-Threaded Screw Caps - low height
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm



CP 100i


INLINE CAPPING

- ◆ Pre-Capping by belt
- ◆ Final capping with torque measurement & rejection

Output	100 ~ 120 (for 30 cc bottles)
Cap Types	CRC & Screw Caps
Bottle Diameter	25 to 85 mm
Bottle Height	50 to 175 mm

* Actual output will depend upon the materials characteristics and operating conditions.

INDUCTION SEALING



IS 60

INDUCTION SEALING

- ◆ High efficiency, air cooled and micro processor controlled
- ◆ Interlocking arrangement to prevent bottle jamming

Output	60 BPM
Cap Diameter	60 to 120 mm

Available Models **IS 120**

LABELING

LB 60

WRAP AROUND LABELING

- ◆ Servo PLC based system

Output	60 BPM
Label Roll Diameter (Max.)	ID 76 mm OD 280 mm
Label Height (Max.)	150 mm

Available Models **LB 120**



OUTSERTER

OS 120

OUTSERTER

- ◆ Hot melt Glue dropping, Booklet pickup placement on cap
- ◆ Container flow and the booklet placement is synchronized using special drive device

Output	120 BPM
Booklet Size	Width: 25 to 50 mm
	Length: 25 to 50 mm
Booklet Thickness	3 to 15 mm




* Actual output will depend upon the materials characteristics and operating conditions.



PACKART 90

AUTOMATIC HORIZONTAL CARTONING

- ◆ Ergonomically designed
- ◆ Suitable for large batch sizes
- ◆ Safety devices are in place to prevent any machine damages



Output	80 to 90 CPM
Carton Size (mm)	Minimum (A) 25 x (B) 12 x (H) 55
	Maximum (A) 85 x (B) 70 x (H) 200



PACKART 60

SEMI AUTOMATIC VERTICAL CARTONING

- ◆ Ergonomic design for easy access
- ◆ User friendly & Flexible

Output	40 to 55 CPM
Carton Size (mm)	Minimum (A) 20 x (B) 15 x (H) 60
	Maximum (A) 82 x (B) 82 x (H) 205



Available Model **PACKART 60A**

PRINTING

PAD PRINTING TECHNOLOGY

TAMPPRINT



TAMPPRINT 300.Nxi

**HIGH SPEED
TABLET PRINTING**

- ◆ Universal Brush Box System for Tablet Feeding
- ◆ All types of Coated Tablets can be printed
- ◆ Special design comprising of trolley based hopper and dust collector for tablet feeding
- ◆ Robotic arm for single tablets rejection

Output

300,000 Tab/hr



TAMPPRINT 300

**HIGH SPEED
TABLET PRINTING**

- ◆ Universal Brush Box System for Tablet Feeding
- ◆ All types of Coated Tablets can be printed

Output

300,000 Tab/hr



TAMPPRINT 60

**MEDIUM SPEED
TABLET PRINTING**

- ◆ Enclosed Ink Cup System for Clean Working Environment
- ◆ Vacuum held arrangement for individual product during printing

Output

60,000 Tab/hr



TAMPPRINT 20

**R & D
TABLET PRINTING**

- ◆ Enclosed Ink Cup System for Clean Working Environment
- ◆ Vacuum held arrangement for individual product during printing

Output

20,000 Tab/hr

* Actual output will depend upon the materials characteristics and operating conditions.

PRINTING

TABLET | CAPSULE | SOFTGEL

IMPRINT



IMPRINT 32

- ♦ Automatic printing machine for Tablet, Capsule and Softgels

Output	Capsules & Softgels : 75,000 /hr
	Tablets: 85,000 / hr (Ø11 mm)



IMPRINT 25

- ♦ Minimum change parts, equipped with Feed Discs and Gravure Rollers
- ♦ Integral variable speed controls

Output	Capsules & Softgels : 55,000 /hr
	Tablets: 65,000 / hr (Ø11 mm)



* Actual output will depend upon the materials characteristics and operating conditions.



MULTI MILL

Screen Size 0.5 to 25 mm

CO-MILL

Power 1 to 7.5 HP



OCTAGONAL BLENDER

Capacity 5 to 6,000 ltr

CONTA/BIN BLENDER

Capacity 150 to 1,500 ltr



'V' BLENDER

Capacity 5 to 6,000 ltr

DOUBLE CONE BLENDER

Capacity 5 to 6,000 ltr



WET GRANULATION PROCESS



VIBRO SIFTER

Sieve Diameter 300 to 1,500 mm
Single/Double/Triple Deck



FLUID BED DRYER

Capacity 5 to 250 kg

RAPID MIXER GRANULATOR

Capacity 5 to 1,200 ltr



PASTE PREPARATION VESSEL

Capacity 20 to 250 ltr



AUTO COATER

Capacity 1 to 300 Kg kg



* Actual output will depend upon the materials characteristics and operating conditions.

TUBE FILLING & SEALING

COMBO ALUMINIUM / PLASTIC TUBE



TUBE FILL

PK 120 COMBO LINEAR



- ◆ All pneumatic controls are easily accessible without stopping the machine

Output	120 TPM *
Fill Volume	3 to 250 g
Tube Diameter	12 to 35 mm (Aluminum) 10 to 50 mm (Plastic)
Working	Fully Automatic

PK 60 COMBO LINEAR

- ◆ The design of the machine is ergonomic and easy to handle and maintain for operators

Output	60 TPM *
Fill Volume	3 to 250 g
Tube Diameter	12 to 35 mm (Aluminum) 10 to 50 mm (Plastic)
Working	Fully Automatic



PK 30 COMBO



- ◆ The machine is designed for manual feed of tubes and semi automatic filling and sealing of tubes

Output	45 TPM
Fill Volume	3 to 250 g
Tube Diameter	12 to 35 mm (Aluminum) 10 to 50 mm (Plastic)
Working	Semi Automatic

* Actual output will depend upon the materials characteristics and operating conditions.

TUBE FILLING & SEALING

ALUMINIUM TUBE



PK 60 AL-A

- ◆ Easy to handle and maintain
- ◆ Fully PLC controlled
- ◆ Excellent filling accuracy

Output	60 TPM *
Fill Volume	3 to 250 g
Tube Diameter	12 to 35 mm
Working	Fully Automatic

PK 30 AL-A



- ◆ Ergonomic design to easy access
- ◆ High accuracy filling

Output	45 TPM *
Fill Volume	3 to 250 g
Tube Diameter	12 to 35 mm



PK 30 AL-SH

- ◆ Compact design
- ◆ Easy access production area
- ◆ Low maintenance design

Output	70 TPM *
Fill Volume	3 to 250 g
Tube Diameter	12 to 35mm
Working	Semi Automatic

Available Variant **PK 30 AL-DH**



* Actual output will depend upon the materials characteristics and operating conditions.

TUBE FILLING & SEALING

PLASTIC TUBE



PK 60 PL-A

- ◆ Easy to handle and maintain
- ◆ Fully PLC controlled
- ◆ Excellent filling accuracy

Output	60 TPM *
Fill Volume	3 to 250 g
Tube Diameter	10 to 50 mm
Working	Fully Automatic

PK 30 PL-A

- ◆ Ergonomic design to easy access
- ◆ High accuracy filling

Output	45 TPM *
Fill Volume	3 to 250 g
Tube Diameter	10 to 50 mm
Working	Fully Automatic



SPOUTED POUCH FILLING & CAPPING



PK 20 SPF

SPOUTED POUCH
LIQUID | CREAM | PASTE | SAUCE FILLING

- ◆ Individual variable speed
- ◆ Volumetric filling system provided.
- ◆ Cap Pressing & placing automatic

Output	12 - 30 Pouches /min (Depends on Product dispersity)
Fill Volume	10 g to 1 kg
Working	Fully Automatic

Available Variant **PK 40 SPF**

* Actual output will depend upon the materials characteristics and operating conditions.

FILLING & SEALING

CONTAINER | JAR | BOTTLE



PK 20 PF-DH

BENCHTOP
PISTON FILLING

- ◆ Product hopper with cover (SS316L)
- ◆ Tool free strip down for easy cleaning

Output	20 CPM
Fill Volume	10 to 500 g
Compressed Air	2-CFM @ 90-psi
Working	Semi Automatic

PK CFM

CONTAINER | JAR
FILLING

- ◆ The empty containers are carried by the belt conveyor up to the filling station

Output	30 to 180 CPM
Fill Volume	3 to 250 g
Working	Fully Automatic



PK 20 TS PL

PLASTIC TUBE
SEALING & CODING

- ◆ Supreme sealing quality
- ◆ Suitable for small production and R&D purpose

Output /Min.	8 to 10 TPM
Batch Coding	One side batch coding (9 digit)
Tube Diameter	12 to 50 mm
Working	Semi Automatic



* Actual output will depend upon the materials characteristics and operating conditions.

FILLING, CAPPING, INSPECTION & LABELLING LINE

Output Capacity: 30 to 200 BPM



TURNTABLE ➤ WATER JET CLEANING ➤ INSPECTION ➤ MONOBLOCK FILLING & CAPPING



CAP ELEVATOR & VIBRATOR BOWL ➤ BLACK & WHITE INSPECTION BOOTH ➤ MEASURING CUP PLACEMENT ➤ LABELLING

FILLING LINE

- ◆ LINEAR
- ◆ MONOBLOCK

FILLERS


- ◆ VOLUMETRIC SUCTION
- ◆ HOPPER PISTON
- ◆ GRAVITY
- ◆ FLOW METER

CAPPERS

- ◆ SINGLE HEAD / MULTI HEAD
- ◆ LINEAR / ROTARY
- ◆ SCREW CAP
- ◆ CRC
- ◆ ROPP
- ◆ PRESS FIT

* Actual output will depend upon the materials characteristics and operating conditions.

GLOBAL PRESENCE



Afghanistan
Algeria
Argentina
Armenia
Australia
Bahrain
Bangladesh
Belarus
Belgium
Botswana
Brazil
Cameroon
Canada
Chile
China
Columbia
Combodia
Congo

Costa Rica
Denmark
Ecuador
Egypt
El Salvador
Ethiopia
France
Georgia
Germany
Ghana
Greece
Guatemala
Honduras
Hongkong
Hungary
Indonesia
Iran
Iraq

Israel
Italy
Ivory Coast
Japan
Jordan
Kazakhstan
Kenya
Korea
Kosovo
Kuwait
Laos
Lebanon
Malawi
Malaysia
Malta
Mauritius
Mexico
Morocco

Mozambique
Myanmar
Namibia
New Zealand
Nigeria
Oman
Pakistan
Palestine
Paraguay
Philippines
Qatar
Romania
Russia
Saudi Arabia
Senegal
South Africa
Spain
Sri Lanka

Sudan
Syria
Tanzania
Thailand
Togo
Tunisia
Turkey
UAE
Uganda
UK
Ukraine
Uruguay
USA
Uzbekistan
Vietnam
Yemen
Zambia
Zimbabwe

* Actual output will depend upon the materials characteristics and operating conditions.



REGIONAL CONNECTS

- AHMEDABAD
- BANGALORE
- CHANDIGARH

- CHENNAI
- GOA
- HYDERABAD

- INDORE
- NEW DELHI
- RANGPO
- VISHAKAPATNAM

Parle Global Technologies Pvt. Ltd.

📍 Shripal Industrial Estate, Bldg No. 3,
Behind Varun Industries, Waliv Road,
Vasai East, Palghar - 401208,
Maharashtra, India

🌐 www.parleglobal.com

✉ exports@parleglobal.com

📞 +91 8484911031 📺 parleglobaltech 🌐 parleglobal

EXPORT



Scan for
Catalog / Video

Parle Global Technologies reserves the right to make changes to described specifications on account of continuous improvement. No liability will be accepted for errors or omissions. Photographs shown are for representative purposes only.

EXPORT

JANUARY 2026

Parle Global Technologies Pvt. Ltd. All rights reserved